

ISSN 1835-9728

Environmental Economics Research Hub

Research Reports

**Valuing Ecosystem Services to Agricultural
Production to Inform Policy Design: An Introduction**

Emma Aisbett and Marit Kragt

Research Report No. 73

October 2010

About the authors

Emma Aisbett is a Lecturer in The Crawford School of Economics and Government,
The Australian National University, Canberra, ACT 0200, Australia

Marit Kragt is an Assistant Professor in the School of Agricultural and Resource
Economics, The University of Western Australia, Perth, WA 6009, Australia

Environmental Economics Research Hub Research Reports are published by The Crawford School of Economics and Government, Australian National University, Canberra 0200 Australia.

These Reports present work in progress being undertaken by project teams within the Environmental Economics Research Hub (EERH). The EERH is funded by the Department of Environment and Water Heritage and the Arts under the Commonwealth Environment Research Facility.

The views and interpretations expressed in these Reports are those of the author(s) and should not be attributed to any organisation associated with the EERH.

Because these reports present the results of work in progress, they should not be reproduced in part or in whole without the authorisation of the EERH Director, Professor Jeff Bennett (jeff.bennett@anu.edu.au)

Crawford School of Economics and Government
THE AUSTRALIAN NATIONAL UNIVERSITY
<http://www.crawford.anu.edu.au>

Table of Contents

Abstract	4
1. Introduction	4
2. Conceptualizing ecosystem services and agriculture	5
3. An economic perspective on the implications of ecosystem services to agriculture for government policy	8
4. Methods for valuing ecosystem services	11
5. Studies of the value of ecosystem services to agriculture	13
6. Conclusion	18
7. References	19
Appendix	24

Abstract

There is an ongoing policy debate regarding both how much government intervention there should be to protect ecosystems affected by agriculture, and how the costs of these interventions should be distributed across different interest groups. In accordance with the policy focus in most countries, the majority of the valuation literature on ecosystem services and agriculture estimates the benefits that managed agricultural landscapes can provide to the rest of society. We argue, however, that the efficiency and equity of policies for ecosystem services related to agriculture can be further enhanced by understanding the value and sources of ecosystem services that agricultural production *receives*. With this in mind, we survey studies and techniques for estimating the value of ecosystem services to agricultural production.

1 Introduction

There is an ongoing policy debate regarding both how much government intervention there should be to protect ecosystems or natural resources affected by agriculture (Pannell, 2008), and how the costs of these interventions should be distributed across different interest groups. In Australia and elsewhere in the world, there has been significant policy emphasis on encouraging private landholders to manage their natural resources sustainably and in ways that enhance the provision of ecosystem services to the wider community.¹ However, the Australian approach - particularly Landcare - is distinctive in also emphasizing collective action among farmers at a local level. Such an approach can be effective when the actions of one farmer directly affect ecosystem flows to themselves or others.

In accordance with the policy focus in most countries, the vast majority of the valuation literature on ecosystem services and agriculture aims to assess the benefits that managed agricultural landscapes can provide to the rest of society. We argue, however, that the efficiency and equity of policies for ecosystem services related to

¹ Examples such as the Australian ‘Caring for our Country’ initiative (DEWHA, 2010), the Environment Protection and Biodiversity Conservation Act (DEWHA, 1999), agro-environmental measures in the European Union (Dobbs and Pretty, 2008) or the US Farm Bill (USDA, 2007) mostly focus on market-based approaches to pay farmers for protecting environmental benefits to the rest of society produced by rural landscapes, or to reduce negative externalities produced by agriculture (Baylis et al., 2008).

agriculture can also be enhanced by an understanding of the value of the ecosystem services that agricultural production *receives*.

The concept of ecosystem services is described in the next Section, with particular reference to ecosystem services which provide value to agricultural production. In the subsequent Section 3, we build on neoclassical economic theory to differentiate between different types of ecosystem service flows to agriculture and to explain which of these flows are priorities for valuation to improve policy design. In Section 4, a number of market-based approaches which may be used to estimate the value of ecosystem services to agricultural production are discussed. Using the classification framework from Section 3, a number of previous valuation studies of ecosystem services related to agriculture are detailed in Section 5, identifying knowledge gaps and suggesting priorities for future research. The final Section 6 concludes that studies estimating the value of ecosystem service flows to agriculture are currently lacking but technically feasible, and likely to be a useful aid to efficient policy-making.

2 Conceptualizing ecosystem services and agriculture

“The lack of effective incorporation of ES values into resource allocation decisions can lead to inefficient use of many unpriced resources and unnecessarily large ecosystem losses” (Kroeger and Casey, 2007).

The concept of ecosystems goods and services is attracting increased attention as a way to communicate agriculture’s dependence on the environment (Gomez-Baggethun *et al.*, 2010). Ecosystem services include, for example, pollination by insects; water provision and purification; healthy, productive soils; and protection from pests.

The concept of ecosystem services highlights the long-term role that healthy ecosystems play in the sustainable provision of human wellbeing, economic development, and poverty alleviation across the globe (Turner and Daily, 2008). Ecosystem services are the benefits that people obtain from ecosystems (MA, 2005: 26). They have been defined as ‘the conditions and processes through which natural ecosystems, and the species that make them up, sustain, and fulfil human life’ (Daily,

1997: 6). There are many approaches to classifying the services that ecosystems provide to human beings (see, for example, Daily *et al.*, 1997; or de Groot *et al.*, 2002). An often quoted framework is the Millennium Ecosystem Assessment, which identified four classes of ecosystem services (MA, 2005: 26-29 and Figure 1):

1. Supporting services are those that are necessary for the production of all other ecosystem services, such as primary production, production of oxygen, and soil formation.
2. Provisioning services are the products people obtain from ecosystems, such as food, water, genetic resources, and fuel.
3. Regulating services are the benefits people obtain from the regulation of ecosystem processes, such as climate regulation, water purification, and erosion control.
4. Cultural services are the nonmaterial benefits people obtain from ecosystems through spiritual enrichment, cognitive development, reflection, recreation, and aesthetic experiences.




Figure 1 The contribution of ecosystem services to human well-being (Based on MA, 2005)

Note that these four classes are not mutually exclusive. Some services may be categorized as both ‘supporting’ and ‘provisioning’ or ‘regulating’, depending on the scale at which the service and its impacts are considered (Godden, 2010). De Groot *et al.* (2002) warn for the possibility of ‘double counting’ of ecosystem services when services are interconnected or overlap. The authors stress that the interdependencies between ecosystem services should be understood to avoid double counting of the benefits provided to human beings.

The literature on agriculture and ecosystem services is largely focused on agricultural areas as the supplier of ecosystem services which are of benefit to the wider community, such as conservation of biodiversity (Daily, 1997). A literature search concerning ecosystem services and agriculture² yielded many publications that analysed the impacts of agricultural activities *on* ecosystems (see, for example, Adger and Whitby, 1991; Skinner *et al.*, 1997; van der Werf and Petit, 2002; Zedler, 2003; Swift *et al.*, 2004; Tegtmeier and Duffy, 2005; Collard and Zammit, 2006; Butler *et al.*, 2007; Dale and Polasky, 2007; Nelson *et al.*, 2009); or publications that assessed the ecosystem services that can be *provided by* agricultural landscapes (see, for example, Campbell *et al.*, 2006; Collard and Zammit, 2006; Scott *et al.*, 2006; Swinton *et al.*, 2007a; Swinton *et al.*, 2007b; Sandhu *et al.*, 2008; Porter *et al.*, 2009). There is considerable research focus on possibilities to compensate farmers for the provision of ecosystem services through the creation of markets (see, for example, Kroeger and Casey, 2007; Engel *et al.*, 2008; Wunder *et al.*, 2008; Layton and Siikamäki, 2009; FAO, 2010; Pagiola *et al.*, 2010; Pascual *et al.*, 2010; Ribauda *et al.*, in press).

The majority of existing studies focuses on the impacts of agriculture on ecosystem conditions, or on agriculture as a source of ecosystem services supply. However, ecosystem services also provide important services *to* agricultural production, for example through soil structure and fertility; nutrient cycling; soil retention; crop

² A literature search was conducted in Google Scholar; publishing websites such as Science Direct, Wiley, and Springer link; specific Environmental and Agricultural Economics journals (Agricultural Economics, Australian Journal of Agricultural and Resource Economics, American Journal of Agricultural Economics, Environmental and Resource Economics, Ecological Economics) and the EVRI environmental valuation database (<http://evri.ca>) using the following keywords and combination thereof: environmental or ecosystem services and agricultural production, productivity or economics. This initial search yielded more than 6,000 papers. Papers were subsequently screened for relevance to this study based on their titles.

pollination; food sources; water provision and purification etc. (see Figure 2). Various authors (see, for example, Cork and Shelton, 2000; Cullen *et al.*, 2004: 86-88; Sandhu *et al.*, 2007; or Zhang *et al.*, 2007: 255-256) have provided qualitative discussions of the ecosystem processes and services on which agriculture might depend. There are, however, few studies available that have attempted to quantify the contribution of one or more ecosystem services to agricultural production (see Section 5). A recent review by Power (2010) describes some of the ways in which ecosystem services contribute to agricultural yields, but provides limited value estimates.




Figure 2 Example ecosystem services and their contribution to agricultural production

3 An economic perspective on the implications of ecosystem services to agriculture for government policy.

The valuation of ecosystem services is of interest to policy-makers because market imperfections (indeed, at times the complete absence of markets) means that the marginal social costs and benefits of ecosystem service provision will usually not be equated in the absence of government intervention. In other words, welfare improvements may possible through government interventions that aim to manage the provision of ecosystem services, provided the cost of the government intervention does not exceed the potential allocative benefits. Below we apply this economic

approach in more detail to the issue of ecosystem services and agriculture. We identify different types of ecosystem service flows to agriculture based on which groups of economic agents bear the costs and benefits of the service provision. This approach allows us to identify which ecosystem service flows are most important to quantify for efficient policy design.

3.1 A model of ecosystem service flows in relation to agriculture

One way to conceptualize ecosystem service flows of relevance to agriculture is to define stylized groups who bear the costs and benefits of ecosystem service provision to and from agricultural land (Figure 3). In our terminology the agricultural sector is comprised of many individual farms. The agricultural sector is embedded within a society of interest, for example, Australia




Figure 3 Schematic of Ecosystem Service Flows in relation to Agriculture

Actions of an individual farmer can affect the ecosystem services provided to his private agricultural operation (e.g. planting shade trees increases livestock productivity). Individual actions can also affect ecosystem services values to other farms in the industry (e.g. planting trees lowers the water table, decreases salinity, and increases the productive capacity of the land) as well as the ecosystem services provided to society as a whole (e.g. planting trees increases carbon capture). For ease of exposition later, we label these different ecosystem service flows as ‘intra-farm’, ‘inter-farm’ and ‘extra-agriculture’ flows respectively. The flows are illustrated graphically in Figure 3.

Ecosystem services can also flow in the opposite direction to those described above. That is, the actions of other farmers and other parts of society can affect the ecosystem services available to an individual farm. Thus a farm may receive inter-farm ecosystem service flows if trees planted by a neighbouring farmer lower the water table. Similarly a farm may receive increased extra-agriculture ecosystem services if regulation improve air-quality or national parks provide habitat for pollinating insects, wind breaks, and salinity control.

3.2 Which ecosystem service values are relevant for policy design?

A corollary of the first welfare theorem is that social welfare will generally not be optimized when the actions of one agent provide an uncompensated stream of benefits (or costs) to one or more other agents. In such cases, government intervention to counteract the externality may be welfare improving.³ In order to determine the optimal level and form of intervention, the government needs to know the values of the uncompensated benefits or costs involved. The economic approach thus suggests that the quantification of uncompensated ecosystem service flows is most relevant to government decisions, but does not provide a rationale for valuing flows whose costs and benefits are fully internalized by economic agents.

Application of the logic of economics to the illustrative model discussed earlier suggests that valuation of intra-farm ecosystem service flows (i.e. those arising from the actions of an individual farmer and accruing to that same farmer) are of no interest to public policy making.⁴ However, in the absence of markets or compensation mechanisms, valuation of inter-farm and extra-agriculture flows between agents may help policy makers to make more efficient decisions. A general review of existing ecosystem services valuation literature (see Section 1), suggests that there has been relatively little attention paid to inter-farm ecosystem service flows.

³ Provided the costs of the government intervention, including transactions costs, are sufficiently small.

⁴ However there may be other reasons that valuing intra-farm ecosystem services could be welfare improving. For example, it may be that farmers systematically under-estimate the value of these services and therefore under-provide them to themselves. Alternatively, it may be that the value of intra-farm ecosystem services is long-run and farmers under-supply them because they are not able to capture their full benefits.

4 **Methods for valuing ecosystem services**

Many authors have discussed the values of ecosystem services and approaches to quantify these values (see, for example, Bingham *et al.*, 1995; Costanza *et al.*, 1997; Cork and Shelton, 2000; Guo *et al.*, 2001; Villa *et al.*, 2002; Evan *et al.*, 2003; Turner *et al.*, 2003; Takatsuka *et al.*, 2005; Baskaran *et al.*, 2007; Matero and Saastamoinen, 2007; Fisher and Turner, 2008; Mäler *et al.*, 2009; Raymond *et al.*, 2009; Godden, 2010). A brief summary of the approaches available to value ecosystem services flows is provided in this section.

In general, a comprehensive study of ecosystem services values requires the use of non-market and market-based valuation techniques. However, since there are markets in place for agricultural products, market-based valuation techniques are the most appropriate to value ecosystem services flows to agricultural production. Typical market-based valuation techniques include (but are not restricted to) production functions, hedonic pricing, and replacement cost techniques.⁵ We describe each of these briefly below with particular emphasis on their applicability to valuing ecosystem services to agricultural production. For more detailed discussion of these techniques, including their limitations, the reader is referred to the references listed in the previous paragraph.

A **production function** (PF) specifies the feasible output of goods and services that can be produced with a given set of inputs (labor, machinery, natural resources, etc. - Tallis and Polasky, 2009). Production function-based valuation approaches are based on the contribution of a given ecosystem service to the production of a commodity that is traded in existing markets.⁶

The PF approach generally consists of a two-step procedure (Hanley and Barbier, 2009: 116-141). The first step is to determine the physical effects of changes in a biological resource or ecosystem service on an economic activity. In the second step, the impact of these changes is valued in terms of the corresponding change in marketed output of the traded activity. Hence, the PF approach requires scientific

⁵ Another popular set of market-based valuation techniques are market-price based approaches. These are not discussed here, however, as they are only appropriate when the commodities produced by ecosystem *provisioning* services are sold directly in well-functioning markets (through, for example, game, fish and other wild foods). By definition agricultural production is not directly provided by ecosystem provisioning services.

⁶ An extensive discussion of the production function approach is provided by Hanley and Barbier (2009).

knowledge about the ‘production function’ of ecosystem services, to quantify how much of a service is produced, or how changes in ecosystem condition or function will translate into changes in the ecosystem services delivered (Daily *et al.*, 2009; Hanley and Barbier, 2009: 124). Adequate data and understanding about the cause-effect linkages between the ecosystem service(s) being valued and the output level of marketed commodities is often lacking (Daily *et al.*, 2000), complicating the application of PF approaches to value these services.

Replacement cost techniques are based on estimating the costs that would be incurred by replacing ecosystem services with artificial technologies (Garrod and Willis, 1999). For example the value of the ecosystem service ‘soil fertility’ could be estimated based on the cost of replacing the service with fertilizer purchases. Another cost-based approach is the mitigation or restoration cost method, which refers to the cost of mitigating the effects caused by to the loss of ecosystem services or the cost of having those services restored (TEEB DO, forthcoming). For example salinity mitigation costs could be used to partially value lower water tables.

Hedonic pricing (HP) techniques can be used to determine how ecosystem services impact agricultural land values. Formally, HP assumes that land values can be completely described by the vector of its component attributes (such as site, neighbourhood, or environmental characteristics - Johnston *et al.*, 2001). The contribution of environmental characteristics - such as soil quality, open space, or biodiversity - to agriculture can be measured if agricultural land prices reflect the quality or quantity of (nearby) ecosystem. Multiple regression analysis allows the researcher to estimate a *hedonic price function* that shows the relationships between land values and environmental characteristics (including ecosystem services) (Tietenberg, 2008: 41; Hanley and Barbier, 2009: 100). The hedonic price function can then be used to calculate the implicit price for each of the statistically significant services. The increase in the price of agricultural lands due to a change in ecosystem services is given by the derivative of the implicit price function with respect to the service considered.

The process for estimating a hedonic price function that relates agricultural land prices to the quantity or quality of ecosystem services provided is reasonably straightforward. Application of HP uses observable market data on prices and property characteristics. However, the assumptions made in HP studies can be problematic in ecosystem services valuation: environmental conditions are assumed to

be reflected in property prices, buyers and sellers are assumed to know about the ecosystem services provided at various locations, and buyers are assumed to be able to move to any utility-maximizing position (Hanley and Barbier, 2009: 111).

5 Studies of the value of ecosystem services to agriculture

Notwithstanding the recognized contribution of ecosystem services to agriculture (see Section 2), there are few studies available that have quantified the values of ecosystems services to agricultural production. Examples of available studies are briefly reviewed below. Most ecosystem services studies focus on a single service such as ‘pollination’ or ‘remnant vegetation’.

5.1 Studies valuing extra-agriculture ecosystem service flows

Air Quality

There have been numerous studies that assessed the impacts of air quality changes on agricultural crop production (see, for example, Spash, 1997 for an overview). In these studies, individual farmers receive ecosystem service value flows, affecting their private operations. Crop damages caused by ozone air pollution from motor vehicles were analysed by Murphy et al (1999). The authors used the production function approach (described in the previous section) to estimate the benefits of a reduction in motor-vehicle emissions in the continental United States. A modified version of the AOM8 model of agricultural production and demand was used to predict the welfare effects of changes in agricultural production in the markets for eight major crops: corn, soybeans, wheat alfalfa hay, cotton, gray sorghum, rice and barley. The estimated annual damages to the eight crops from ozone formed by motor-vehicle emissions ranged between \$2.0 and \$3.3 billion (1990 US\$). Estimates varied significantly across agricultural production regions (see, Murphy *et al.*, 1999, Table 3). The impacts of ozone concentrations on grain production in China, Japan and South Korea are summarised by Wang and Mauzerall (2004). Biophysical models and agricultural production functions were used to assess the changes in wheat, rice, corn, and soybeans yields at varying levels of ozone exposure. The total estimated costs of ozone-induced crop production losses ranged from (1990) US\$0.24 billion in South Korea to US\$1.2 billion in Japan and US\$3.5 billion in China. More recent publications (see, for example, Feng and Kobayashi, 2009; or Van Dingenen *et al.*,

2009) have also assessed the impacts of rising ozone concentrations on (global) crop yields, but these studies did not qualify the economic impacts of changed production on the agricultural sector.

Pollination Services

Pollination services are another category of ecosystem services for which a number of valuation attempts have been made. Ricketts *et al.* (2004) estimated the values of pollination services supplied by tropical rainforest to coffee production in Costa Rica. The authors found that forest-based pollinators in two nearby (<1km away) remnants of rainforest could increase coffee yields by 20 percent. Multiplying the increase in yield by the plantation area and the net income per unit of coffee, rainforest pollination services were estimated at approximately US\$62,000 per year for one Costa Rican farm. This estimate incorporated both increased income from greater production and increased costs of harvesting the larger crop (Ricketts *et al.*, 2004). Losey and Vaughan (2006) assessed the contribution of native insects to crop production in the USA, and estimate that the total annual value of ecological services provided by native insects is approximately \$3.07 billion. A study by Gallai *et al.* (2009) assessed the contribution of insect pollination to agricultural output worldwide, and claimed that the total economic value of pollination services amounts to approximately Euro 153 billion.

Biological Pest Control

Reviews of ecological services contributing to pest control are provided by, for example, Power (2010), Landis *et al.* (2008) and Losey and Vaughan (2006). Landis *et al.* (2008) estimate that the value of biological control of soybean aphid (a major pest in soybean production) is at least \$239 million in four US States alone. Estimates by Losey and Vaughan (2006) show that the annual value of pest control services provided by native insects in the whole of the USA is approximately \$4.49 billion. Both estimates are based on the assumption that pest control by native insects could reduce production losses as a result of predation by pest species

5.2 Studies valuing inter-farm ecosystem service flows

While there are a large number of studies which estimate the value of ecosystem-related goods such as irrigation water⁷, the literature search conducted for this study did not identify any which specifically referred to valuing ‘ecosystem service’ inputs to agriculture. One reason for this is likely to be the difficulty in distinguishing the value of water from that the irrigation system which supplies it to farms.⁸ Similarly, the approaches used to value ecosystem services such as biological pest control, pollination and water supply have typically not allowed separation of the contribution to service provisions which is attributable to agricultural versus non-agricultural areas and practices (e.g. on-farm natural resource management versus conservation areas). Thus it is difficult to identify the value of extra-agriculture versus inter-farm (or indeed intra-farm) flows.

5.3 Studies valuing intra-farm ecosystem service flows

Miles *et al.* (1998) estimated the costs and benefits of maintaining remnant native vegetation to individual farmers in Victoria and New South Wales. Landholders were interviewed about the direct costs of vegetation management (including fencing; removal of fallen timber; and weed and pest control measures) and the benefits associated with maintaining native vegetation areas on their lands (including increased stock production owing to shelter and shade; increased agricultural production arising from mitigation of land degradation; increased crop production; and production of timber for firewood and fencing - Lockwood and Walpole, 1999: 7). The direct management costs associated with remnant native vegetation management varied from \$16/ha in New South Wales to \$44/ha for Victorian landholders. Various possible benefits of native vegetation on agricultural yields were assessed (see Appendix). The value of these benefits was computed using the gross margins of different activities (such as livestock or crop production) and projected changes in yields resulting from native vegetation management. The average per hectare benefits of remnant vegetation for Victorian landholders were approximately

⁷ A typical example of this literature is a paper by Faux and Perry (1999) who applied hedonic price analysis to agricultural land sales in Treasure Valley, Oregon, to estimate the value of irrigation water. The authors estimated a marginal value of \$9 (1995 US\$) per acre-foot of irrigation water. The study further showed that soil capability had a significant impact on agricultural land prices, indicating that soil class should be taken into account when analysing the values of other ecosystem services for agriculture.

⁸ These sort of difficulties are discussed at length by Sagoff (2008).

\$46/year, while average benefits for New South Wales properties were approximately \$59/year (Miles *et al.*, 1998: 28).

5.4 Studies valuing a combination of ecosystem service flows

A challenge in environmental valuation is to estimate the combined value of the multiple services that ecosystems may provide to agricultural production. Some authors argue that valuation of individual ecosystem services fails to capture the value that a bundle of services provides and may underestimate the value of ecosystem services “as a whole” (Wam, 2010). We discuss two such comprehensive studies below. Note that it is sometimes difficult to distinguish between intra- and inter-farm service provision for the ecosystem services identified.

A study that assessed the value of multiple ecosystem services is described in Sandhu *et al.* (2008). The authors used a combination of valuation techniques (such as market prices, avoided costs, and replacement costs approaches) to estimate economic values for 12 different ecosystem services on arable farming lands in Canterbury, New Zealand: biological control of pests, soil formation, mineralisation of plant nutrients, pollination, services provided by shelterbelts and hedges, hydrological flow, aesthetics, food provision, provision of raw materials, carbon accumulation, nitrogen fixation, and soil fertility. Their findings are summarised in Table 1. As shown in Table 1, there is a considerable range in value estimates, with values varying significantly between organic and conventional fields as well as across districts (see Table 2 in Sandhu *et al.*, 2008).

Table 1 Economic value of ecosystem services on arable farming lands in Canterbury, New Zealand (Source: Sandhu *et al.*, 2008).

Ecosystem service	Economic value*	
	Organic farming	Conventional farming
Biological control of pests	50 (0–100)	0 (0–0)
Mineralisation of plant nutrients	260 (26–425)	142 (30–349)
Soil formation	6 (0.7–11)	5 (2–9)
Food	3,990 (1,150–18,900)	3,220 (840–14,000)
Raw materials	22 (0–224)	38 (0–298)
Carbon accumulation	22 (0–210)	20 (0–210)
Nitrogen fixation	40 (0–92)	43 (0–92)
Soil fertility	68 (53–82)	66 (54–73)
Hydrological flow	107 (–111–190)	54 (–118–194)
Aesthetic	21 (21–21)	21 (21–21)

Pollination	62 (0–438)	64 (0–455)
Shelterbelts	880 (0–472)	200 (0–617)
Total	4,600 (1,607–19,412)	3,680 (1,263–14,570)

* Means of calculated values in US\$/ha/yr, range of mean estimates in parentheses.

In an Australian context, Walpole *et al.* (1996) assessed the impacts of land degradation on various agricultural areas in New South Wales. A production function approach was used to estimate the relationships between land area, labour, fertiliser, and degradation on the gross value of agricultural production (defined as a three year average 1987/88 to 1989/90). Using this approach, the authors calculated the opportunity costs for different types of land degradation (wind erosion, soil acidity, gully erosion, woody shrub infestations, and dryland salinity). These results showed that land degradation has a significant negative impact on agricultural production and incomes. Benefit-cost ratios of investments in soil conservation and land rehabilitation programs were also calculated, showing that—in some cases—the private benefits of conservation (i.e. an increase in agricultural incomes) exceed the (combined private and public) costs, suggesting net social benefits from land rehabilitation programs (Walpole *et al.*, 1996: 202-203).

5.5 Assessment of existing literature and identification of priorities for future research

As discussed in Section 1, the flow of extra-agriculture ecosystem service provision to other parts of society has been the subject of the majority of valuation studies and focus of policy to date. As a consequence there are relatively few studies which estimate values ecosystem service inflows *to* agriculture, and an even smaller set which use Australian data. There also appears to be a particular dearth of work estimating the value of inter-farm ecosystem service flows. Some of the lack of valuation studies on ecosystem services to agriculture may be due to the difficulty of distinguishing between ecosystem services, and human inputs into production (see Section 5.2). Another challenge arises from the absence of a widely accepted definition of what constitutes ‘ecosystem services’ (see, for example, Boyd and Banzhaf, 2007; Wallace, 2007; Fisher *et al.*, 2009; Dominati *et al.*, 2010; for a discussion). A key challenge is to find a set of indicators that can capture the ways in which ecosystem services affect agriculture (Dale and Polasky, 2007).

6 Conclusion

This literature review conducted for this study has found that the bulk of the existing literature related to ecosystem services and agriculture focuses on service provision by agriculture to the rest of society, or impacts of agricultural production on ecosystems (extra-agricultural flows). However, agricultural production also receives value from ecosystem service flows. These flows may be affected by actions of the individual farmers (intra-farm), their neighbours (inter-farm), or the rest of society (extra-agriculture).

Government support for initiatives such as Landcare may help achieve improved provision of ecosystem service flows between farms (inter-farm flows), as well as provision of ecosystem service flows to the rest of society. However, an assessment of the net benefits of such initiatives is difficult without evidence on the value of inter-farm ecosystem service flows. There are a number of methods available to estimate the value of ecosystem service flows to agriculture, but that there have been very few studies which have applied them in Australia. Work is needed that uses these methods to assess the costs and benefits of changing ecosystem service flows to Australian agriculture, to aid the development of more efficient policies.

7 References

- ADAMSON, E. V. C. (1988) The relationship between trees and rural productivity. Melbourne, Ministry for Planning and Environment.
- ADGER, N. & WHITBY, M. (1991) Accounting for the impact of agriculture and forestry on environmental quality. *European Economic Review*, 35, 629-641.
- BASKARAN, R., CULLEN, R. & WRATTEN, S. (2007) Estimating the Value of Ecosystem Services in New Zealand Pastoral Farming - A Choice Modelling Approach. *NZAE Annual Conference 2007*. Christchurch, 27-29 June 2007, New Zealand Association of Economists.
- BINGHAM, G., BISHOP, R., BRODY, M., BROMLEY, D., CLARK, E., COOPER, W., COSTANZA, R., HALE, T., HAYDEN, G., KELLERT, S., NORGAARD, R., NORTON, B., PAYNE, J., RUSSELL, C. & SUTER, G. (1995) Issues in ecosystem valuation: improving information for decision making. *Ecological Economics*, 14, 73-90.
- BIRD, P. R., BICKNELL, D., BULMAN, P. A., BURKE, S. J. A., LEYS, J. F., PARKER, J. N., VAN DER SOMMEN, F. J. & VOLLER, P. (1993) The role of shelter in Australia for protecting soils, plants and livestock. IN PRINSLEY, R. T. & ALLNUT, J. (Eds.) *The role of trees in sustainable agriculture*. Dordrecht, Kluwer Academic Publishers.
- BIRD, P. R., LYNCH, J. J. & OBST, J. M. (1984) Effects of shelter on plant and animal production. *Animal Production in Australia*, 15, 270-273.
- BIRD, R. (1981) Benefits of tree planting in SW Victoria. *Trees and Victoria's Resources*, 23, 2-6.
- BLORE, D. (1994) Benefits of remnant vegetation: focus on rural lands and rural communities. Paper prepared for the 'protecting remnant bushland' seminar, October 1994. Orange, Orange Agricultural College.
- BOYD, J. & BANZHAF, S. 2007. What are ecosystem services? The need for standardized environmental accounting units. *Ecological Economics*, 632-3.
- BUTLER, S. J., VICKERY, J. A. & NORRIS, K. (2007) Farmland Biodiversity and the Footprint of Agriculture. *Science*, 315, 381-384.
- CAMPBELL, D., HUTCHINSON, W. G. & SCARPA, R. (2006) Using Discrete Choice Experiments to Derive Individual-Specific WTP Estimates for Landscape Improvements under Agri-Environmental Schemes: Evidence from the Rural Environment Protection Scheme in Ireland. *FEEM Working Paper No.26.2006*.
- CARY, J. & WILLIAMS, K. 2000. The Value of Native Vegetation: Urban and rural perspectives. *Management and Conservation of Remnant Vegetation, Research Report RR 3/00*. Canberra: National Research and Development Program on Rehabilitation.
- COLLARD, S. J. & ZAMMIT, C. (2006) Effects of land-use intensification on soil carbon and ecosystem services in Brigalow (*Acacia harpophylla*) landscapes of southeast Queensland, Australia. *Agriculture, Ecosystems & Environment*, 117, 185-194.
- CORK, S. J. & SHELTON, D. (2000) The Nature and Value of Australia's Ecosystem Services: A Framework for Sustainable Environmental Solutions. In *"Sustainable Environmental Solutions for Industry and Government" Proceedings of the 3rd Queensland Environmental Conference*. Queensland, Environmental Engineering Society.
- COSTANZA, R., D'ARGE, R., DE GROOT, R., FARBER, S., GRASSO, M., HANNON, B., LIMBURG, K., NAEEM, S., O'NEILL, R. V., PARUELO, J., RASKIN, R. G., SUTTON, P. & VAN DEN BELT, M. (1997) The value of the world's ecosystem services and natural capital. *Nature*, 387, 253-260.
- CULLEN, R., TAKATSUKA, Y., WILSON, M. A. & WRATTEN, S. (2004) Ecosystem Services on New Zealand Arable Farms. *Tenth Annual Conference of the New Zealand Agricultural and Resource Economics Society (Inc.), June 2004*. Agribusiness and Economics Research Unit, Lincoln University.

- DAILY, G. C. (Ed.) (1997) *Nature's services: societal dependence on natural ecosystems*, Washington DC, Island Press.
- DAILY, G. C., ALEXANDER, S., EHRLICH, P. R., GOULDER, L., LUBCHENCO, J., MATSON, P. A., MOONEY, H. A., POSTEL, S., SCHNEIDER, S. H., TILMAN, D. & MOODWELL, G. M. (1997) Ecosystem Services: Benefits Supplied to Human Societies by Natural Ecosystems. *Issues in Ecology*, 2-15.
- DAILY, G. C., POLASKY, S., GOLDSTEIN, J., KAREIVA, P. M., MOONEY, H. A., PEJCHAR, L., RICKETTS, T. H., SALZMAN, J. & SHALLENBERGER, R. (2009) Ecosystem services in decision making: time to deliver. *Frontiers in Ecology and the Environment*, 7, 21-28.
- DAILY, G. C., SODERQVIST, T., ANIYAR, S., ARROW, K., DASGUPTA, P., EHRLICH, P. R., FOLKE, C., JANSSON, A., JANSSON, B.-O., KAUTSKY, N., LEVIN, S., LUBCHENCO, J., MALER, K.-G., SIMPSON, D., STARRETT, D., TILMAN, D. & WALKER, B. (2000) Ecology: The Value of Nature and the Nature of Value. *Science*, 289, 395-396.
- DALE, V. H. & POLASKY, S. (2007) Measures of the effects of agricultural practices on ecosystem services. *Ecological Economics*, 64, 286-296.
- DE GROOT, R. S., WILSON, M. A. & BOUMANS, R. M. J. (2002) A typology for the classification, description and valuation of ecosystem functions, goods and services. *Ecological Economics*, 41, 393-408.
- DENGATE, J. (1983) Windbreaks and shade trees help landowners and wildlife. *Habitat*, 11, 14-15.
- DOMINATI, E., PATTERSON, M. & MACKAY, A. 2010. A framework for classifying and quantifying the natural capital and ecosystem services of soils. *Ecological Economics*, 69, 1858-1868.
- ENGEL, S., PAGIOLA, S. & WUNDER, S. (2008) Designing payments for environmental services in theory and practice: An overview of the issues. *Ecological Economics*, 65, 663-674.
- EVAN, W., JOHN, R. F., VANESSA, K., MARK, R. & DEREK, M. (2003) The value of Scotland's ecosystem services and natural capital. *European Environment*, 13, 67-78.
- FAO (2010) Payments for Environmental Services from Agricultural Landscapes - PESAL. Vilamora, Economics of Sustainable Agricultural Systems Group, Economics Division of the Food and Agricultural Organization of the United Nations, .
- FAUX, J. & PERRY, G. M. (1999) Estimating Irrigation Water Value Using Hedonic Price Analysis: A Case Study in Malheur County, Oregon. *Land Economics*, 75, 440-452.
- FENG, Z. & KOBAYASHI, K. (2009) Assessing the impacts of current and future concentrations of surface ozone on crop yield with meta-analysis. *Atmospheric Environment*, 43, 1510-1519.
- FISHER, B., TURNER, R. K. & MORLING, P. 2009. Defining and classifying ecosystem services for decision making. *Ecological Economics*, 68, 643-653
- FISHER, B. & TURNER, R. K. (2008) Ecosystem services: Classification for valuation. *Biological Conservation*, 141, 1167-1169.
- FITZPATRICK, D. (1994) *Money trees on your property: profit gained through trees and how to grow them*, Sydney, Inkata Press.
- GALLAI, N., SALLES, J. M., SETTELE, J. & VAISSIÈRE, B. E. 2009. Economic valuation of the vulnerability of world agriculture confronted with pollinator decline. *Ecological Economics*, 68, 810-821.
- GARROD, G. & WILLIS, K. G. (1999) *Economic valuation of the environment : methods and case studies*, Cheltenham, UK, Edward Elgar.
- GILLESPIE, R. 2000. Economic values of the native vegetation of New South . A background paper of the Native Vegetation Advisory Council of New South Wales. Sydney: Native Vegetation Advisory Council NSW.
- GODDEN, D. (2010) Valuing Ecosystem Services: a critical review. *54th Annual Conference of the Australian Agricultural and Resource Economics Society*. Adelaide.

- GOMEZ-BAGGETHUN, E., DE GROOT, R., LOMAS, P. L. & MONTES, C. (2010) The history of ecosystem services next term in economic theory and practice: From early notions to markets and payment schemes. *Ecological Economics*, 69, 1209-1218.
- GUO, Z., XIAO, X., GAN, Y. & ZHENG, Y. (2001) Ecosystem functions, services and their values - a case study in Xingshan County of China. *Ecological Economics*, 38, 141-154.
- HANLEY, N. & BARBIER, E. B. (2009) *Pricing Nature. Cost-Benefit Analysis and Environmental Policy*, Cheltenham, UK, Edward Elgar.
- HOBBS, R. J. & SAUNDERS, D. A. 1991. Re-integrating fragmented landscapes--a preliminary framework for the Western Australian wheatbelt. *Journal of Environmental Management*, 33, 161-167.
- JOHNSTON, R. J., OPALUCH, J. J., GRIGALUNAS, T. A. & MAZZOTTA, M. (2001) Estimating Amenity Benefits of Coastal Farmland. *Growth and Change*, 32, 305-325.
- KROEGER, T. & CASEY, F. (2007) An assessment of market-based approaches to providing ecosystem services on agricultural lands. *Ecological Economics*, 64, 321-332.
- LANDIS, D. A., GARDINER, M. M., VAN DER WERF, W. & SWINTON, S. M. 2008. Increasing corn for biofuel production reduces biocontrol services in agricultural landscapes. *Proceedings of the National Academy of Sciences*, 105, 20552-20557.
- LAYTON, D. & SIIKAMÄKI, J. (2009) Payments for Ecosystem Services Programs: Predicting Landowner Enrollment and Opportunity Cost Using a Beta-Binomial Model. *Environmental & Resource Economics*, 44, 415-439.
- LOCKWOOD, M. & WALPOLE, S. (1999) Benefit cost analysis of remnant native vegetation conservation. *Johnstone Centre Report No. 130*. Albury, Johnstone Centre.
- LOSEY, J. E. & VAUGHAN, M. 2006. The Economic Value of Ecological Services Provided by Insects. *Bioscience*, 56, 311-323.
- LYNCH, J. J. & DONNELLY, J. B. (1980) Changes in pasture and animal production resulting from the use of windbreaks. *Australian Journal of Agriculture*, 31, 967-979.
- MA (2005) Ecosystems and human well-being: synthesis reports. Washington DC, Millennium Ecosystem Assessment.
- MÄLER, K.-G., ANIYAR, S. & JANSSON, Å. (2009) Accounting for Ecosystems. *Environmental and Resource Economics*, 42, 39-51.
- MATERO, J. & SAASTAMOINEN, O. (2007) In search of marginal environmental valuations - ecosystem services in Finnish forest accounting. *Ecological Economics*, 61, 101-114.
- MILES, C. A., LOCKWOOD, M., WALPOLE, S. & BUCKLEY, E. (1998) Assessment of the on-farm economic values of remnant native vegetation. *Johnstone Centre Report No. 107*. Albury, Johnstone Centre.
- MURPHY, J. J., DELUCCHI, M. A., MCCUBBIN, D. R. & KIM, H. J. (1999) The Cost of Crop Damage Caused by Ozone Air Pollution from Motor Vehicles. *Journal of Environmental Management*, 55, 273-289.
- NELSON, E., MENDOZA, G., REGETZ, J., POLASKY, S., TALLIS, H., CAMERON, D., CHAN, K. M. A., DAILY, G. C., GOLDSTEIN, J., KAREIVA, P. M., LONSDORF, E., NAIDOO, R., RICKETTS, T. H. & SHAW, M. (2009) Modeling multiple ecosystem services, biodiversity conservation, commodity production, and tradeoffs at landscape scales. *Frontiers in Ecology and the Environment*, 7, 4-11.
- PAGIOLA, S., ZHANG, W. & COLOM, A. (2010) Can Payments for Watershed Services Help Finance Biodiversity Conservation? A Spatial Analysis of Highland Guatemala. *Journal of Natural Resources Policy Research*, 2, 7-24.
- PANNELL, D. J. (2008) Public Benefits, Private Benefits, and Policy Mechanism Choice for Land-Use Change for Environmental Benefits. *Land Economics*, 84, 225-240.
- PASCUAL, U., CORBERA, E., MURADIAN, R. & KOSOY, N. (Eds.) (2010) *Special Section - Payments for Environmental Services: Reconciling Theory and Practice*, Ecological Economics. Volume 69, Issue 6, Pages 1193-1364.
- PORTER, J., COSTANZA, R., SANDHU, H., SIGSGAARD, L. & WRATTEN, S. (2009) The value of producing food, energy, and ecosystem services within an agro-ecosystem. *Ambio*, 38, 186-193.

- POWER, A. G. 2010. Ecosystem services and agriculture: tradeoffs and synergies. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 365, 2959-2971.
- RADCLIFFE, J. E. (1983) Grassland responses to shelter - a review. *New Zealand Journal of Experimental Agriculture*, 11, 5-10.
- RAYMOND, C. M., BRYAN, B. A., MACDONALD, D. H., CAST, A., STRATHEARN, S., GRANDGIRARD, A. & KALIVAS, T. (2009) Mapping community values for natural capital and ecosystem services. *Ecological Economics*, 68, 1301-1315.
- RIBAUDO, M., GREENE, C., HANSEN, L. & HELLERSTEIN, D. (in press) Ecosystem services from agriculture: Steps for expanding markets. *Ecological Economics*, In Press, Corrected Proof.
- RICHMOND, E. (1992) Economic benefits to the farmer of maintaining and protecting remnant native vegetation on farms in south-west of Western Australia. Leederville, Water Authority of Western Australia.
- RICKETTS, T. H., DAILY, G. C., EHRLICH, P. R. & MICHENER, C. D. (2004) Economic value of tropical forest to coffee production. *Proceedings of the National Academy of Sciences of the United States of America*, 101, 12579-12582.
- SANDHU, H., WRATTEN, S. & CULLEN, R. (2007) From poachers to gamekeepers: Perceptions of farmers towards ecosystem services on arable farmland. *International Journal of Agricultural Sustainability*, 5, 1-12.
- SANDHU, H. S., WRATTEN, S. D., CULLEN, R. & CASE, B. (2008) The future of farming: The value of ecosystem services in conventional and organic arable land. An experimental approach. *Ecological Economics*, 64, 835-848.
- SCOTT, M. S., FRANK, L., ROBERTSON, G. P. & DOUGLAS, A. L. (2006) Ecosystem Services from Agriculture: Looking Beyond the Usual Suspects. *American Journal of Agricultural Economics*, 88, 1160-1166.
- SKINNER, J. A., LEWIS, K. A., BARDON, K. S., TUCKER, P., CATT, J. A. & CHAMBERS, B. J. (1997) An Overview of the Environmental Impact of Agriculture in the U.K. *Journal of Environmental Management*, 50, 118-121.
- SPASH, C. L. (1997) Assessing the Economic Benefits to Agriculture from Air Pollution Control. *Journal of Economic Surveys*, 11, 47-70.
- SQUIRES, V. R. (1983) The value of trees as shelter for livestock, crops and pastures: a review. IN VAN DER SOMMEN, F. J., BOARDMAN, R. & SQUIRES, V. R. (Eds.) *Tree in the rural environment: towards a greenprint for South Australia*. Roseworthy, Roseworthy Agricultural College.
- SWIFT, M. J., IZAC, M. N. & VAN NOORDWIJK, M. (2004) Biodiversity and ecosystem services in agricultural landscapes—are we asking the right questions? *Agriculture, Ecosystems & Environment*, 104, 113-134.
- SWINTON, S. M., HAMILTON, S. K., LUPI, F. & ROBERTSON, G. P. (Eds.) (2007a) *Special Section - Ecosystem Services and Agriculture*, *Ecological Economics*. Volume 64, Issue 2, Pages 239-468.
- SWINTON, S. M., LUPI, F., ROBERTSON, G. P. & HAMILTON, S. K. (2007b) Ecosystem services and agriculture: Cultivating agricultural ecosystems for diverse benefits. *Ecological Economics*, 64, 245-252.
- TAKATSUKA, Y., CULLEN, R., WILSON, M. & WRATTEN, S. (2005) Using Choice Modeling to Value Ecosystem Services on Arable Land. *Paper presented at the 49th Annual Conference of the Australian Agricultural and Resource Economics Society* 9th - 11th February 2005, Coffs Harbour, NSW.
- TALLIS, H. & POLASKY, S. (2009) Mapping and Valuing Ecosystem Services as an Approach for Conservation and Natural-Resource Management. *Annals of the New York Academy of Sciences*, 1162, 265-283.
- TEEB D0 (forthcoming) The Economics of Ecosystems and Biodiversity: Ecological and Economic Foundations. Chapter 5: The economics of valuing ecosystem services and biodiversity. *Draft chapters available at www.teebweb.org*. Accessed 21-05-2010.

- TEGTMEIER, E. M. & DUFFY, M. D. (2005) The external costs of agricultural production in the United States. IN PRETTY, J. N. (Ed.) *The Earthscan reader in sustainable agriculture*. London, Earthscan.
- TIETENBERG, T. H. (2008) *Environmental and natural resource economics*, Boston, Addison Wesley.
- TURNER, R. & DAILY, G. (2008) The Ecosystem Services Framework and Natural Capital Conservation. *Environmental and Resource Economics*, 39, 25-35.
- TURNER, R. K., PAAVOLA, J., COOPER, P., FARBER, S., JESSAMY, V. & GEORGIU, S. (2003) Valuing nature: lessons learned and future research directions. *Ecological Economics*, 46, 493-510.
- VAN DER WERF, H. M. G. & PETIT, J. (2002) Evaluation of the environmental impact of agriculture at the farm level: a comparison and analysis of 12 indicator-based methods. *Agriculture, Ecosystems & Environment*, 93, 131-145.
- VAN DINGENEN, R., DENTENER, F. J., RAES, F., KROL, M. C., EMBERSON, L. & COFALA, J. (2009) The global impact of ozone on agricultural crop yields under current and future air quality legislation. *Atmospheric Environment*, 43, 604-618.
- VILLA, F., WILSON, M. A., DE GROOT, R., FARBER, S., COSTANZA, R. & BOUMANS, R. M. J. (2002) Designing an integrated knowledge base to support ecosystem services valuation. *Ecological Economics*, 41, 445-456.
- WAKEFIELD, S. M. (1989) Farm trees series 1: why you need trees on your farm. Sydney, NSW Agriculture and Fisheries.
- WALLACE, K. J. 2007. Classification of ecosystem services: Problems and solutions. *Biological Conservation*, 139, 235-246.
- WALPOLE, S., LOCKWOOD, M. & MILES, C. A. (1998) Influence of remnant native vegetation on property sale price. *Johnstone Centre Report No. 106*. Albury, Johnstone Centre.
- WALPOLE, S., SINDEN, J. & YAPP, T. (1996) Land Quality as an Input to Production: The Case of Land Degradation and Agricultural Output. *Economic Analysis and Policy*, 26, 185-207.
- WAM, H. K. (2010) Economists, time to team up with the ecologists! *Ecological Economics*, 69, 675-579.
- WANG, X. & MAUZERALL, D. L. (2004) Characterizing distributions of surface ozone and its impact on grain production in China, Japan and South Korea: 1990 and 2020. *Atmospheric Environment*, 38, 4383-4402.
- WUNDER, S., ENGEL, S. & PAGIOLA, S. (Eds.) (2008) *Special Section - Payments for Environmental Services in Developing and Developed Countries*, Ecological Economics. Volume 65, Issue 4, Pages 663-852.
- ZEDLER, J. B. (2003) Wetlands at your service: reducing impacts of agriculture at the watershed scale. *Frontiers in Ecology and the Environment*, 1, 65-72.
- ZHANG, W., RICKETTS, T. H., KREMEN, C., CARNEY, K. & SWINTON, S. M. (2007) Ecosystem services and dis-services to agriculture. *Ecological Economics*, 64, 253-260.

Appendix. Effects of native vegetation on plant and animal production (Source: Miles et al., 1998)

<i>Research findings</i>	<i>Region</i>	<i>Reference</i>
<i>Benefits of trees on crops</i>		
An increase in wheat and crop yields in sheltered zones estimated to be between 22% and 47%.	Rutherglen, VIC	Bird <i>et al.</i> (1993)
Crop yields from windbreaks increased by 25% - although trees rob the crop for a distance equal to about twice their own height, they shelter a much larger area, extending downwind for at least 15 times their own height.	not specified	Dengate (1983)
An increase in lupin yield by 19-22% was measured when the area of shelterbelt was included in the net yield/ha, and an increase of 27% on the lupin crop area between the windbreaks.	Gibson, southwest WA	Richmond (1992)
Increased yields of 25%-45% were observed in sheltered crops of wheat, oats and lupins compared with unsheltered crops, and yield increases of 20%-100% in horticultural crops.	not specified	Fitzpatrick (1994)
An increased net cereal yield of 15% per annum was attributed to sheltering effects of windbreaks	USA cereal growing areas	Adamson (1988)
<i>Benefits of trees on pasture growth</i>		
A 20-30% higher yield was obtained in protected than in unprotected areas of a farm, with annual benefits of \$38 to \$66 per ha.	Mainland Australia	Fitzpatrick (1994)
A 20% increase in average annual pasture growth was estimated for protected areas of a farm.	Australia and overseas	Radcliffe (1983)
Gross value of pasture output is at its highest level when the proportion of tree area is at 34%. Note that this figure relates to natural remnants of bushland rather than shelterbelts or windbreaks.	Gunnedah, northwest NSW	Walpole (1998)
<i>Benefits of trees on livestock production</i>		
Over a 5 year trial, a 31% wool production increase and 6 kg (21%) more liveweight was found in sheltered areas compared with sheep without shelter. This equated to an increase of \$4 per head if sold in August 1984. The plots sheltered by barriers had 18% more pasture	Armidale, NSW	Lynch & Donnelly (1980), Bird <i>et al.</i> (1984), Dengate (1983), Richmond (1992)
From 10 to 16% more lambs present at marking owing to heat load reduction on ewes at joining and lambing, as well as a faster growth rate and more wool from the lambs over their first 16 months of life.	Northern QLD	Wakefield (1989)

<i>Research findings</i>	<i>Region</i>	<i>Reference</i>
<i>Benefits of trees on livestock production</i>		
Availability of shelter resulted in a 50% reduction in lambing losses (average losses without shelter were 36% for twins and 16% for single births). When shelter was provided, the figures dropped to 18% for twins and 8% for single lambs.	Southwest VIC, eastern highlands	Bird (1981), Dengate (1983)
Lambing losses decreased from 20% to 10% of the lambs born alive in sheltered areas, (with wind speed halved by adequate windbreaks), resulting in a 5% increase in the percentage of lambs at the end of lambing.	Kangaroo Island	Fitzpatrick (1994)
If the lifetime of the shelter (& fencing) is taken to be 44-60 years, over a 60 years total wool production will increase by 29% and \$42/ha of sheltered pasture, and total dairy production will increase by 30% (20% improved pasture growth, 10% improved milk production), and \$150/ha of sheltered pasture.	VIC	Fitzpatrick (1994)
Winter lamb mortality from birth to 48 hours was greater in an exposed group of single lambs (14%), than a sheltered group (4%). Likewise, mortality rates of twins was 9% in shelter and 28% when exposed.	Western VIC	Squires (1983)
A 27% increase in survival of single lambs was observed in sheltered areas, but no advantage was evident to twins during periods of rain with temperatures <5°C.	Southern Australia	Bird <i>et al.</i> (1984)
Up to 17% increase in dairy milk production was estimated for sheltered areas.	not specified	Blore (1994)
On a day of 27°C, unsheltered cows will have 26% less dairy milk production than shaded stock.	Australia	Fitzpatrick (1994)